

Art Unit: 1639

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Robert Bedgood on March 19, 2010.

The application has been amended as follows:

Amend **claim 60** as follows:

--"A method for the isolation of a nucleic acid molecule comprising applying a sample to the device as defined in claim 40 and isolating a nucleic acid molecule."—

Restriction

The restriction between any Groups requiring the specifics of the device of claim 40 is hereby withdrawn.

Future Communications

Any inquiry concerning this communication or earlier communications from the examiner should be directed to AMBER D. STEELE whose telephone number is (571)272-5538. The examiner can normally be reached on Monday through Friday 9:00AM-5:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Christopher Low can be reached on 571-272-0951. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 1639

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Amber D. Steele/
Primary Examiner, Art Unit 1639